

**OFFICE OF THE DIRECTOR OF RESEARCH  
ASSAM AGRICULTURAL UNIVERSITY::KHANAPARA::ASSAM**

---

No: 99/DRV/2-18-129/229/(SP-I)/17(A-1)/2022-23/ 728 Dtd. 9.5.22

**NOTIFICATION FOR SHORT QUOTATION**

Sealed quotations are invited from reputed manufacturer/ authorized dealer/suppliers for supply of **the items given in the NIQ i.e. Package-I and Package-II** for the Department of Fisheries Resource Management, College of Fisheries, Assam Agricultural University, Raha-782103, Nagaon, Assam under **SCoPIF-I**. The details of the items / specification and terms and conditions are available in the office of the College of Fisheries, AAU, Raha on payment of Rs.200/ in the form of DD drawn in favour of the Director of Research (Vety), payable at Khanapara. The quotations will be received up to 15 (Fifteen) days after publication of this advertisement. The same may also be downloaded from web sites <http://www.vetbifg.ac.in> and <http://www.aau.ac.in>. The downloaded form need to be submitted with Rs. 200.00 in the form of DD.

Director of Research (Vety)  
Assam Agricultural University  
Khanapara, Guwahati

Name of the items

SCoPIF-I, CFSc, AAU, Raha

Package-I

Sl. No.	Name of the items	Specifications
1	<b>Multi functional Printer</b>	<p><b>1. Must Print, Copy, Scan and wireless</b></p> <p><b>2.</b></p> <p><b>A. Technology : Laser</b></p> <ul style="list-style-type: none"><li>i) Speed1 Black (normal, A4): Up to 20 ppm</li><li>ii) Resolution Black (best): Up to 1,200 x 1,200 dpi;</li><li>iii) Black (normal): 600 x 600 dpi</li></ul> <p><b>B. Scan and Copy</b></p> <ul style="list-style-type: none"><li>i. Flatbed Technology</li><li>ii. Contact Image Sensor (CIS)</li><li>iii. Resolution Hardware: Up to 4800 x 4800 dpi; Optical: Up to 600 x 600 dpi; Enhanced: Up to 4800 x 4800 dpi Max scanning size Flatbed: 216 x 297 mm Grayscale levels 256 Bit depth 8-bit (mono); 16-bit (colour)</li><li>iv. File format Windows Scan SW supports file format: PDF, JPG, TIFF, PNG, BMP Input modes Front-panel copy, HP MFP scan software, user application via TWAIN or WIA Scanner advanced features Scan to WSD (network support only); Book Scanning; Poster Stitching for multiple scan;</li><li>v. Text Converting; Scan to E-Book; Existing File to E-Book</li><li>vi. Copier smart software features : Automatic adjusting background; Extended layout (2-up, 4-up, ID copy); expanded contrast adjustments (11 different settings);Scale from one paper size to another (Letter&gt;A4, AutoFit)</li><li>vii. Display: 2-Line LCD (16 characters per line)</li></ul> <p><b>C. Windows® compatibility:</b> 7, 8 and 10.</p> <p><b>D. Connectivity:</b> Hi-Speed USB 2.0; Wireless 802.11 b/g/n\</p> <p><b>E. Wireless capability:</b> must be operating through in built WiFi system.</p> <p><b>F. Password-protected network embedded Web server</b> must be equipped.</p>

2	<b>Printer Toner Cartridge</b>	<ol style="list-style-type: none"> <li>1. Compatibility: HP LaserJet P1108 Laser and HP Laser MFP 136w</li> <li>2. Print Technology: Laser</li> <li>3. Cartridge Colour: Black</li> </ol>
3	<b>Paper Board Cover File</b>	<ol style="list-style-type: none"> <li>1. Compatible Paper Size: A4 and Legal</li> <li>2. Build Material: Paper Board</li> <li>3. W x H x D : 250 mm x 350 mm x 1 mm</li> <li>4. Colour: Multiple</li> </ol>
4	<b>A4 Size Paper</b>	<ol style="list-style-type: none"> <li>1. Paper Size: 8.3 x 11.7 inches (A4)</li> <li>2. Paper Density: 75 GSM</li> <li>3. Rule type: Unruled/Plain</li> <li>4. Colour: White</li> </ol>
5	<b>Legal Size Paper</b>	<ol style="list-style-type: none"> <li>1. Paper Size: 8.5 x 14 inches (Legal)</li> <li>2. Paper Density: 75 GSM</li> <li>3. Rule Type: Unruled/Plain</li> <li>4. Colour: White</li> </ol>
6	<b>Note Sheet</b>	<ol style="list-style-type: none"> <li>1. Paper Size: 8.5 x 14 inches (Legal)</li> <li>2. Paper Density: 75 GSM</li> <li>3. Rule Type: Unruled/Plain</li> <li>4. Colour: Green</li> </ol>
7	<b>White board</b>	<ol style="list-style-type: none"> <li>1. Size: 2 ft X 2 ft and 3 ft X 4 ft</li> <li>2. Mounting Type: Wall Mount</li> <li>3. Frame Material: Aluminium</li> <li>4. Shape: Rectangle</li> </ol>

Name of the items

SCoPIF-I, CFSc, AAU, Raha

Package-II

Sl no	Name of the Item	Specifications
1	<b>Aquarium Stand/Rack</b>	<ol style="list-style-type: none"><li>1. Three shelves IRON rack</li><li>2. Should be made of high-quality sheets, MS pipes/angles</li><li>3. Weight of each rack should not be less than 400 kg</li><li>4. Coated with anti-corrosive paint</li><li>5. Thickness of MS sheets should not be less than 1.2mm</li><li>6. Iron sheet should be supported with Iron bar.</li><li>6. MS sheets must meet the standards of ASTM, IS.</li></ol>
2	<b>Iron removal pressure filter</b>	<ol style="list-style-type: none"><li>1. Having technology of Adsorption/double FRP vessel of food grade</li><li>2. Quality filled with Anthracite, Kotax light media, White sand, Treated sand of specific diameter, Quartz Gravel, Manganese Green</li><li>3. Sand filter media along with cotton filter fabric to remove iron at a max. pressure of 10 kg/sqcm and max. flow rate of 800 LPH with back wash facility.</li><li>4. Servicing of iron removal pressure filter time to time at the institution for one year from the date of installation should be bear by the supplier.</li><li>5. Replacement or any defects within one year, the supplier will be held responsible and it should be born by the supplier from his own.</li><li>6. The supplier should submit the certification of CSIR for Iron removal pressure filter.</li></ol>
3	Thermostat	<ol style="list-style-type: none"><li>1. Submersible type automatic aquarium heater</li><li>2. Must be supplied with strong support clips features</li><li>3. Must adjust temperature control, ranging from 12-35<sup>0</sup>C.</li><li>4. Cable length of heater must range between 190-200 cm.</li></ol>
4	Biofilter for Aquarium	<ol style="list-style-type: none"><li>1. Internal Filter WP-1000F + 1 Pipe</li></ol>

		<p>2. Filter circulation not less than 5000 L/Hr</p> <p>3. Suitable Water Volume 200 – 500 L</p> <p>4. Suitable for Fresh Water</p> <p>5. Material: Plastic body, Copper motor</p>
5	<i>Channa aurantimaculata</i> (Naga Cheng) Brooders	<p>1. Fish should be healthy and active</p> <p>2. Body length should not be less than 30 cm Total length</p>
6	<i>Hemibagrus menoda</i> (Gagol) Brooders	<p>1. Fish should be healthy and active</p> <p>2. Body length should not be less than 30 cm Total length</p>
7	<i>Cyprinion semiplotum</i> (Roja Mas) Brooders	<p>1. Fish should be healthy and active</p> <p>2. Body length should not be less than 30 cm Total length</p>
8	<i>Notopterus notopterus</i> (Kanduli) Brooders	<p>1. Fish should be healthy and active</p> <p>2. Body length should not be less than 20 cm Total length</p>
9	<i>Mystus cavasius</i> (Boga tengra) Brooders	<p>1. Fish should be healthy and active</p> <p>2. Body length should not be less than 12 cm Total length</p>
10	<i>Mystus vittatus</i> (Tengra) Brooders	<p>1. Fish should be healthy and active</p> <p>2. Body length should not be less than 9.5 cm Total length</p>
11	<i>Nandus nandus</i> (Gedgedi/Verehi) Brooders	<p>1. Fish should be healthy and active</p> <p>2. Body length should not be less than 10 cm Total length</p>
12	<i>Puntius sophore</i> (Puthi) Brooders	<p>1. Fish should be healthy and active</p> <p>2. Body length should not be less than 6 cm Total length</p>
13	<i>Devario devario</i> (Lauputi) Brooders	<p>1. Fish should be healthy and active</p> <p>2. Body length should not be less than 7 cm Total length</p>
14	<i>Macrogathus aral</i> (Tura) Brooders	<p>1. Fish should be healthy and active</p> <p>2. Body length should not be less than 17 cm Total length</p>
15	<i>Heteropneustes fossilis</i> (Singhi) Brooders	<p>1. Fish should be healthy and active</p> <p>2. Body length should not be less than 18 cm Total length</p>
16	<i>Channa stewartii</i> (Chenga) Brooders	<p>1. Fish should be healthy and active</p> <p>2. Body length should not be less than 25 cm Total length</p>

## GENERAL TERMS AND CONDITIONS:

1. Any item offered/quoted should conform to the technical specifications desired by the purchaser. Quotations for items beyond the scope of the technical specification asked for shall not be entertained.
2. The compliance statement (technical specification desired and offered) along with separate sheet of Terms & Conditions should invariably accompany the quotation both as **'hard copy' and 'soft copy' in a CD/Pen Drive typed in MS word in A4 size paper** in landscape orientation (Font size 12, Times New Roman) in the prescribed format (Annexure-I), without which the quotation shall not be considered.
3. The bidder shall have to deposit Rs. 200.00 in the form of DD drawn in favour of "Director of Research (Vety)" and payable at Khanapara.
4. The tender must be submitted by hand or mailed(Speed post/Courier) within 7 days from the release of advertisement in newspaper or website (whichever is earlier)

**Annexure-I**  
**FORMAT FOR COMPLIANCE STATEMENT**

SI No	Name of the Item as per Bid Document	Make: Model:	
Detailed Specification:			
SI No.	Specification Asked for	Specification offered*	Complied (Yes/No)

\*The Specification offered must be verifiable from the data sheet (both softcopy and hardcopy) from the OEM, provided by the vendor as well as the official website of the OEM

## INSTRUCTION TO BIDDERS

1. All Quotations should mention in the cover of the Envelope distinctly the Name of the Item, Item No., NIQ Ref. No., Bidder's Name & Address, Contact No. etc. as shown below:-

**QUOTATION FOR SUPPLY OF "-----" FOR THE COLLEGE OF FISHERIES, AAU, RAHA-782103, NAGAON, ASSAM.**

NIQ REF NO..... DATED..... LAST DATE  
FOR SUBMISSION. ....,

To,

**The Head of the Department  
Department of Fisheries Resource Management  
College of Fisheries  
Assam Agricultural University  
Raha-782103, Nagaon, Assam**

**From: M/s** \_\_\_\_\_

**Contact No.:** \_\_\_\_\_

**Email ID:** \_\_\_\_\_

### **TERMS & CONDITIONS:**

1. DD of Rs. 200.00 must be drawn in favour of the Director of Research (Vety), payable at Khanapara and the same is to be enclosed along with the quotation.
2. Rates quoted must be on FOR College of Fisheries, AAU, Raha, Nagaon-782013, Assam on DOOR DELIVERY basis.
3. Delivery of the items at College of Fisheries, AAU, Raha, Nagaon will have to be maximum 30 (Thirty) days from the date of issue of the supply order.
4. **Mode of Payment:** After successful delivery of the items, payment will be made through A/C payee cheque.
5. Late and delayed tender will not be considered. In case any unscheduled holiday occurs or prescribed closing, the next working day shall be the prescribed day of closing.
6. No enquiry shall be made by the bidder(s) during the course of evaluation of the tender till final decision is conveyed to the successful bidder. However, the committee/its authorized representatives and office of the DEAN, COLLEGE OF



FISHERIES, AAU, RAHA can make an enquiry/seek clarification from the the bidder. In such a situation the firm/supplier shall extend full cooperation.

7. **The acceptance of the quotation** will rest solely with the PRIMARY PURCHASE COMMITTEE (PPC), who in the intrest of the institute is not bound to accept the lowest quotation and reserves the right to reject or partially accept any or all the quatactions received without assingning any reasons.

8. The price of the items should be offered in **unit price per number of item.**

9. During the supply, the items should be in good condition and broken or deffected items will not be accepted.

10. The firm must be registered and must have an office in Assam. A copy of registration certificate must be enclosed.

11. Installation of aquarium racks and supply of particulars must be completed within one month from the date of receipt of the order.

12. For supplying Aqurium Rack/Stand, the firm must have experience in manufacturing similar items and supplying similar types of particulars, must have worked with the educational institutions.

13. To established the credentials of the bidder, documents like information of the installations at site that with prestigious government educational R&D institutions in North-East region in particular with contact number and reference number of the purchase orders, appreciation letters etc. needed to be along with the Bid.

**14. For Live Fish Brooders:** Fish mortality more than 10% should not be considered.



(Niranjan Kalita)  
Director of Research (Vety.)  
AAU, Khanapara, Guwahati-22